





medical**bees**
System-driven Surgery
Operieren mit System

Knochenheber | Elevators






SMILIE

	B – width	T – depth
MB1-01-002-01	19 mm	32 mm
MB1-01-002-02	19 mm	45 mm
MB1-01-002-03	19 mm	60 mm
MB1-01-002-04	13 mm	15 mm
MB1-01-002-05	13 mm	55 mm


Knie Wundhaken
Knee retractor



MB1-01-002-01



MB1-01-002-02



MB1-01-002-03



MB1-01-002-04



MB1-01-002-05



CHANDLER

	B – width	Länge – length
MB1-09-001-02	13 mm	180 mm – 7"
MB1-09-001-04	19 mm	200 mm – 8"
MB1-09-001-06	25 mm	230 mm – 9"
MB1-09-001-08	32 mm	250 mm – 10"



BLOUNT

MB1-09-004-01

260 mm – 10¼"

38 mm breit
38 mm wide



MB1-09-004-03

260 mm – 10¼"

42 mm breit
42 mm wide



MB1-09-004-05

175 mm – 7"

16 mm breit, 47 mm tief
16 mm wide, 47 mm depth




COBRA

MB1-09-005-02

260 mm – 10¼"

32 mm breit, stumpf glatt
32 mm wide, blunt smooth



MB1-09-005-04

260 mm – 10¼"

32 mm breit, spitz glatt
32 mm wide, pointed smooth



MB1-09-005-06

260 mm – 10¼"

32 mm breit,
stumpf gerieft
32 mm wide, blunt serrated

MB1-09-005-08

260 mm – 10¼"

32 mm breit, spitz gerieft
32 mm wide, pointed serrated

MB1-09-005-25

266 mm – 10½"

44 mm breit,
stumpf gerieft
44 mm wide, blunt serrated

MB1-09-005-20

266 mm – 10½"

44 mm breit, spitz gerieft
44 mm wide, pointed serrated



ALEXANDER FARABEU

MB1-14-002-01
209 mm – 8½"
B = 11 mm

Rippenraspatorium
Rasparatory



SHOULDER

	B – width	T – depth
MB2-09-065-02	32 mm	81 mm



SHOULDER

	B – width	T – depth
MB2-09-065-04	38 mm	81 mm



FUKUDA

MB2-09-067-06
B = 32 mm

Retraktor, klein
Retractor, small



MB2-09-067-08

B = 40 mm

Retraktor, groß
Retractor, large



FUKUDA

MB2-09-070-02
B = 35 mm

Humerusretractor
mit Riefen, klein
Humerusretractor
with grooves, small



MB1-09-006-03

 140 mm – 5½"

 B = 3 mm



MB1-09-006-06

 150 mm – 6"

 B = 5 mm



MB1-09-006-12

 150 mm – 6"

 B = 7 mm


HOHMANN MINI

MB1-09-006-09

 160 mm – 6¼"

 B = 6 mm



MB1-09-006-15

 160 mm – 6¼"

 B = 8 mm



MB1-09-006-30
160 mm – 6¼"
B = 15 mm



MB1-09-006-33
120 mm – 4¾"
B = 16 mm



MB1-09-006-34
150 mm – 6"
B = 15 mm



FOREARM
MB1-09-006-21
220 mm – 8½"
B = 8 mm



HOHMANN
MB1-09-006-18
240 mm – 9½"
B = 8 mm



HOHMANN

MB1-09-006-24

240 mm – 9½"

B = 10 mm

MB1-09-006-31

247 mm – 9¾"

B = 15 mm

HOHMANN

MB1-09-006-36

240 mm – 9½"

B = 18 mm

HOHMANN

MB1-09-006-37

240 mm – 9½"

B = 18 mm


spitz
pointed

HOHMANN

MB1-09-006-38

220 mm – 9½"

B = 18 mm



HOHMANN

MB1-09-006-39

250 mm – 10"

B = 22 mm

MB1-09-006-40

254 mm – 10"

B = 22 mm

HOHMANN

MB1-09-006-41

290 mm – 11¼"

B = 25 mm

HOHMANN

MB1-09-006-48

410 mm – 16"

B = 22 mm

HOHMANN

MB1-09-006-49

295 mm – 11½"

B = 22 mm



HOHMANN

MB1-09-006-51

280 mm – 11"

B = 24 mm



MB1-09-006-52

228 mm – 9"

B = 24 mm



HOHMANN

MB1-09-006-54

260 mm – 10¼"

B = 24 mm



**HOHMANN-
ALDINGER**

MB1-09-006-57

280 mm – 11"

B = 24 mm



HOHMANN

MB1-09-006-60

240 mm – 9½"

B = 25 mm



HOHMANN

MB1-09-006-63

270 mm – 10½"

B = 33 mm

MB1-09-006-66

330 mm – 13"

B = 40 mm

MB1-09-006-67

286 mm – 11"

B = 40 mm

MB1-09-006-68

290 mm – 11¼"

B = 40 mm

HOHMANN

MB1-09-006-69

240 mm – 9½"

B = 43 mm

**HOHMANN**

MB1-09-006-72

240 mm – 9½"

B = 43 mm

HOHMANN

MB1-09-006-78

255 mm – 10"

B = 70 mm

**VERBRUGGE-
MÜLLER**

MB1-09-006-79

255 mm – 10"

B = 65 mm



MURPHY LANE


300 mm – 12"	A	B
MB1-09-010-03	18 mm	30 mm

Luxationsheber
Elevator



TAYLOR

180 mm – 7"	B – width	T – depth
MB1-09-012-05	30 mm	75 mm
MB1-09-012-07	30 mm	100 mm
MB1-09-012-11	19 mm	75 mm
MB1-09-012-13	19 mm	100 mm



BRISTOW BANKERT

MB1-09-014-01

177 mm – 7"

B = 25 mm




BRISTOW BANKERT

MB1-09-014-03

200 mm – 8"

B = 21 mm




CREGO

MB1-09-020-02

200 mm

B = 7 mm

schwach gebogen
slightly curved




CREGO

MB1-09-020-04

200 mm

B = 7 mm

stark gebogen
full curved




CREGO

MB1-09-022-02

200 mm

B = 14 mm

schwach gebogen
slightly curved



CREGO

MB1-09-022-04

200 mm

B = 14 mm

stark gebogen
full curved



DARRACH

	B	Länge – Length
MB1-09-040-12	9.5 mm	254 mm – 10"
MB1-09-040-14	12 mm	254 mm – 10"
MB1-09-040-16	19 mm	254 mm – 10"
MB1-09-040-18	25 mm	355 mm – 14"

Kreuzgerieft
cross serrated



COBB

280 mm – 11"	B
MB1-09-050-03	9.5 mm – 3/8"
MB1-09-050-06	12.8 mm – 1/2"
MB1-09-050-09	19 mm – 3/4"
MB1-09-050-12	25 mm – 1"
MB1-09-050-15	32 mm – 1 1/4"
MB1-09-050-18	38 mm – 1 1/2"

Stahlgriff, hohl
Stainless steel handle, hollow



COBB

280 mm – 11"	B
MB1-09-052-03	9.5 mm – 3/8"
MB1-09-052-06	12.8 mm – 1/2"
MB1-09-052-09	19 mm – 3/4"
MB1-09-052-12	25 mm – 1"
MB1-09-052-15	32 mm – 1 1/4"
MB1-09-052-18	38 mm – 1 1/2"

Eloxiertes Aluminiumgriff, massiv
Anodized aluminium handle, massive



COBB

280 mm – 11"	B
MB1-09-053-03	9.5 mm – 3/8"
MB1-09-053-06	12.8 mm – 1/2"
MB1-09-053-09	19 mm – 3/4"
MB1-09-053-12	25 mm – 1"
MB1-09-053-14	32 mm – 1 1/4"

Sechskant-Griff, massiv
Hexagonal handle, massive

